

cheetoh

...the first step to choosing a beautiful floor



cheetah

Introduction / Contents	2
Laminate flooring	3-6
Real Wood Engineered flooring	7-10
Real Wood Solid flooring	11-14
Bespoke Designer flooring	15-18
Accessories	19-20
Data Table	21-22

Introduction

With the heart and passion that Cheetah hold with their products, we are fully aware that our floors have the ability to completely transform and enhance your living spaces both physically and emotionally.

A hardwood floor adds many qualities to a room; few features make such a difference to the character of a home, and it can add value to your house and make it more appealing to the prospective buyer.

At Cheetah, we believe that quality and choice go hand in hand, resulting in us offering an extensive range of species and finishes within 4 distinctive ranges. No matter what shape or form your residence takes, may it be a luxury country estate or a compact city centre apartment, our vast collection and range of styles offer a considered choice.

Whether your choice of flooring depends on flexibility of fitting and durability, or the desire of a traditional floor with lasting good looks; Cheetah has the best wooden flooring solution to meet any requirements.

We supply flooring in parquet, mosaic, laminates, engineered and solid wood flooring, unfinished or prefinished, oiled or lacquered. Our product catalogue is ever changing reacting to current trends whilst keeping those enduring classics that continue to instil harmony within the home.

...So relax, and take a second to browse through our brochure at your leisure; we hope you can find inspiration as to what can be achieved by incorporating the perfect flooring choice within your living spaces.

Laminate

flooring

Authentic, resistant, hygienic, practical, ecological: the Cheetah Laminate collection brings the best characteristics of modern laminate flooring to the surface. We have managed our laminate range in such a manner we can offer three alternative flooring options in eight different decor choices. With Cheetah laminates it is our intention to offer you the best quality for the fairest price.

Our product is designed and manufactured in the EU and boasts comprehensive warranties against wear and colour fastness. We have put together 3 collections; square edge 7mm, four sided V-groove 8mm and an innovative four sided v-groove 10mm.



the above certified bodies apply to cheetah 'laminate' products only

01 - 7mm French Oak
AH37349

7 mm
square edge

01



French Oak
AH 37349
Classic Finish
7 x 193 x 1380mm
2.66m² per pack
Single Plank



02



Smoked Oak
AH 37892
Classic Finish
7 x 193 x 1380mm
2.66m² per pack
Single Plank



8 mm
V - groove

03




Natural Oak
AH 37345
Brushed Style
8 x 193 x 1380mm
2.40m² per pack
4 / VG



04




Chateau Oak
AH 3875
Brushed Style
8 x 193 x 1380mm
2.40m² per pack
4 / VG



05



Antique Oak
AH 39195
Brushed Style
8 x 193 x 1380mm
2.40m² per pack
4 / VG



06



Matt Oak
MO 37871
Authentic Matt
8 x 193 x 1380mm
2.40m² per pack
4 / VG



Why Cheetah Laminate..?

Easy to install as a 'floating' floor


Highly resistant to dents and scratches

Can be re-installed if required

Different finishes are achieved by various service finishes and decor choices

A degree of dimensional stability and resilience makes it suitable for underfloor heating

Non Porous surface makes it both easy to maintain and beneficial for those who suffer from allergies



For best results, Cheetah recommend using **cheetah** PAD and **cheetah** BOND accessories. Please consult page 19-20 for further information.

10mm
micro bevel

07



White Oak
SB 37580

Registered Embossed
10 x 116 x 1380mm
1.28m² per pack
Narrow Plank, micro bevel 4 sides




08



Walnut
SN 37658

Registered Embossed
10 x 116 x 1380mm
1.28m² per pack
Narrow Plank, micro bevel 4 sides



08 - 10mm Walnut
SN37658



01 - 8mm French Oak
AH37349





06 - 8mm Matt Oak
MO37871

Real Wood

Engineered flooring

Moving with the trends of modern building practices and responding to demand, Engineered flooring has evolved to become more versatile and functional than its solid wooden floor counterpart but still holds the warmth and character associated with this product. Its engineered cross-ply construction is the key to its superior strength and dimensional stability, reducing the possibility of the board expanding or shrinking due to humidity.


Due to its generous versatility, it is more suitable for a wider range of applications and conditions. In addition to its natural appearance engineered timber flooring is suitable to be fitted with under-floor heating systems. And because only a fraction of solid timber is required to manufacture engineered flooring you are playing your part in protecting the environment.

Cheetah Engineered flooring is available in a variety of widths, thicknesses and finishes. So, if you are fitting over a solid sub-floor or nailing to battens, where a structural floor is necessary, then there will be a Cheetah Engineered Floor to suit your needs.



14mm
engineered


09



Oak

14 x 148 x 1830mm
4mm wear layer
2.167m² per pack
Lacquered

10



White Oak

14 x 148 x 1860mm
4mm wear layer
2.202m² per pack
Natural Oiled


11



Smoked Oak

14 x 148 x 1860mm
4mm wear layer
2.202m² per pack
Smoked, Brushed and White Oiled


12



Brushed Oak

14 x 148 x 1830mm
4mm wear layer
2.167m² per pack
Brushed + White Oiled


13



Tobacco Oak

14 x 148 x 1860mm
4mm wear layer
2.202m² per pack
Tobacco Stain Lacquered


14



American Walnut

14 x 127mm (random length)
4mm wear layer
2.1336m² per pack
Lacquered

15



Cherry

14 x 127mm (random length)
4mm wear layer
2.1336m² per pack
Lacquered


16



**Walnut
French Bleed**

14 x 127mm (random length)
4mm wear layer
2.1336m² per pack
White Oiled and Brushed


17



Maple

14 x 127mm (random length)
4mm wear layer
2.1336m² per pack
Lacquered

18



Red Oak

14 x 127mm (random length)
4mm wear layer
2.1336m² per pack
Lacquered

14mm
engineered välinge LOC

19



Oak

14 x 189mm
4mm wear layer
3.330m² per pack
Lacquered



20



Brushed Oak

14 x 189mm
4mm wear layer
3.330m² per pack
Brushed and Oiled



18mm
structural engineered

21



Oak

18 x 127mm (random length)
4mm wear layer
2.1336m² per pack
Lacquered


22



Brushed Oak

18 x 127mm (random length)
4mm wear layer
2.1336m² per pack
Brushed and UV Oiled


23



Smoked Oak

18 x 130mm (random length)
4mm wear layer
2.290m² per pack
Smoked and Oiled

24





Smoked White Oak

18 x 130mm (random length)
4mm wear layer
2.290m² per pack
Smoked, White wash,
Brushed + Oiled



26 - 21mm Brushed Oak

20/21 mm structural engineered



Why Cheetah Engineered..?

Easy to install, directly onto joists (18 / 21mm) or as a 'floating' floor

Can be sanded and refinished to look as good as new, multiple times


Different finished looks achieved by various oils and lacquers

Made from 100% natural wood

A degree of dimensional stability and resilience

Can be laid directly over under floor heating with appropriate cheetahPAD and cheetahBOND accessories

Easy to keep clean and free of dustmites. Particularly suitable for allergy sufferers.



For best results, Cheetah recommend using **cheetah**PAD and **cheetah**BOND accessories. Please consult page 19-20 for further information.

Real Wood

Solid flooring

There is nothing more beautiful than the look and feel of traditional solid hardwood flooring, every solid wood plank is a unique specimen and this brings character, life and vibrancy into your room.

Manufactured to the highest possible standards Cheetah solid hardwood flooring is milled from only the best quality hardwoods, adding an elegance and warmth to any area. Available in a variety of finishes including both hand scraped and distressed, Cheetah solid hardwood flooring is a mark of true craftsmanship.



18mm solid



Why Cheetah Solid..?

Traditional Solid flooring up to 20mm

Only highest grade selected timbers used in the manufacturing process


Random Length boards

Contemporary and Classic finishes complement every setting

The Solid range can be nailed direct to joists or glued to a variety of sub-floors

Wider boards add further choice

Some species available unfinished to allow for customised finishing to create a unique look




For best results, Cheetah recommend using **cheetah**PAD and **cheetah**BOND accessories.
Please consult page 19-20 for further information.

18mm
solid continued

39

American Walnut

18 x 125mm (random length)
2.200m² per pack
Lacquered



40

Cherry


18 x 130mm (random length)
1.980m² per pack
Lacquered



41

Maple

18 x 125mm (random length)
2.200m² per pack
Lacquered



42

Birch

18 x 130mm (random length)
1.980m² per pack
Lacquered





35 - 18mm Oak
Treated with oil



22 - 18mm Brushed Oak



Bespoke

Designer flooring

And last but certainly not least are our bespoke floors. This is a collection of designer floors, something not to be found on the shelf and will therefore be handmade specifically for your project.

Our appealing designer floor range is both stimulating and innovative encompassing flooring from both ends of the spectrum. The 'Old Floor' range is hand crafted using old time trusted methods to produce the highest quality finishes and designs. Our latest technology 'Digital print laminates' enable us to use the classic oak tree as a basis for new real wood designs with the world innovation 'Authentic Oak', making it possible to print various wood textures digitally onto oak boards showing brushed surfaces and open pores as authentic as oak itself.

We hope this flooring range encourages you to push the boundaries of expectation as to what a floor can deliver for you in your home.

43

**Oak Italian
Herringbone**
Natural Varnished & Waxed



44

**Oak Hungarian
Herringbone**

Dark Oak Varnished & Waxed




45


Oak Versailles
Pattern
Coloured Oiling




10mm
digital print laminates




**Schönbrunn
H10175**
Matt Finish
10.5 x 116 x 1380mm
1.92m² per pack
Narrow Plank with Bevel



**Montana
H30402**
Matt Finish
10.5 x 116 x 1380mm
1.92m² per pack
Narrow Plank with Bevel



**Black Zebra
H30301**
Matt Finish
10.5 x 116 x 1380mm
1.92m² per pack
Narrow Plank with Bevel



**Versailles
H10173**
Matt Finish
10.5 x 116 x 1380mm
1.92m² per pack
Narrow Plank with Bevel



**Hampton
H30440**
Matt Finish
10.5 x 116 x 1380mm
1.92m² per pack
Narrow Plank with Bevel

Why Digital Laminates..?

- Brushed Real Wood surface with original pores
- Emphasis of contrasts in the wood grain
- Improving and stabilising the natural colour shade
- Design ideas on Oak Veneer
- Any colour or design
- Does not fade in sunlight
- Subsequent deliveries guaranteed of the same colour



14mm Real Wood Engineered
square parquet



Parquet Oak
14 x 420 x 420mm
1.4112m² per pack
Oiled

For best results, Cheetah recommend using **cheetah**HPAD and **cheetah**BOND accessories.
Please consult page 19-20 for further information.

Accessories

cheetahPAD

floor underlayment

The CheetahPAD range provides economic floor underlay solutions that offer high performance and value. All our underlays are produced from closed cell Polyethylene Foam which is CFC and HCFC free and 100% recyclable. All products are also non-dusting, non-toxic, and odourless.

Products are available in various densities with moisture barriers and vapour control layers to match most application requirements. Minor floor imperfections may be accommodated by using these materials.




52 classicPAD



classicPAD
15m x 1m x 3mm
15m² per pack

- 🐾 High Performance Low Cost underlay
- 🐾 White PE un laminated foam
- 🐾 Excellent impact Sound insulation
- 🐾 For ground levels a vapour check membrane may be required
- 🐾 Laminate or Real Wood Flooring

53 multiPAD



multiPAD
15m x 1m x 3mm
15m² per pack

- 🐾 Excellent impact Sound insulation
- 🐾 Integral clear moisture barrier
- 🐾 200mm joint sealing overlap
- 🐾 Ideal for underfloor heating
- 🐾 Laminate or Real Wood Flooring

54 soundPAD



soundPAD
15m x 1m x 3mm
15m² per pack

- 🐾 Substantial noise reduction of 20dB
- 🐾 65kg/m³ Density enhanced performance
- 🐾 Impressive thermal / shock insulation
- 🐾 100mu LDPE black vapour control layer
- 🐾 200mm joint sealing overlap
- 🐾 High Resistant to puncture / Increases underfoot comfort
- 🐾 Low thermal resistance makes it ideal for underfloor heating
- 🐾 Laminate or Real Wood Flooring

55

Slc EP21- MOISTURE BARRIER



- 🐾 2 Component epoxy resin with no water or solvents and high solid content.
- 🐾 High Penetration
- 🐾 Superior strengthening power
- 🐾 Impermeable up mto MCS% or 90%RH
- 🐾 100% solid content
- 🐾 Low odour ideal for use in poorly ventilated areas and in restoration works
- 🐾 Suitable for heated Sub-Floors

2 parts:
A - 5 litre
B - 2.5 litre

Accessories

cheetahBOND

flooring adhesive

The CheetahBOND range is a collection of professional, high-resistance adhesives for hardwood flooring. Enabling trouble-free installation of traditional and engineered hardwood floors of any length and width species wood.



56

Slc L34 - ADHESIVE



- 🐾 2 component, high elasticity epoxy-polyurethane
- 🐾 Suitable for laying all types of hardwood floors
- 🐾 Superior coverage
- 🐾 Good performance at low temperatures
- 🐾 Rapid performance growth, also at low temperatures
- 🐾 Balance between adhesive strength and elasticity
- 🐾 Suitable for underfloor heating
- 🐾 Excellent adhesion on absorbent and non-absorbent substrates

2 parts:
A - 9 litre
B - 1 litre

57

Slc Forte - ADHESIVE



- 🐾 Rapid setting, water based professional adhesive
- 🐾 Suitable for laying all types of hardwood floors
- 🐾 Easy to apply
- 🐾 Superior Thixotropy
- 🐾 Suitable for underfloor heating
- 🐾 Reduced water content
- 🐾 Solvent free
- 🐾 Strips up to 50cm in length or wood block only

18 kg

58

Slc SILO PUR flex - WOOD FILLER



- 🐾 Professional gel in solvent solution
- 🐾 Mixed with wood dust for high resistance filling
- 🐾 Extra-rapid hardening
- 🐾 Complete coverage
- 🐾 Prolonged workability
- 🐾 Superior filling power

10 Litre or 1 Litre

59

Slc B3 - P.V.A. ADHESIVE












- 🐾 Vinyl adhesive to glue down tongue and groove ends of floating floor
- 🐾 Water resistant
- 🐾 Easy to clean
- 🐾 Solvent free
- 🐾 Colourless when dry

750 g

Data Table

flooring

	No.	SPECIES	GRADE	FINISH		DIMENSIONS (mm)	PACK SIZE (m ²)	
Laminate flooring	1	French Oak AH37349	AC3	Classic		7 x 193 x 1380	2.66	
	2	Smoked Oak AH37892	AC3	Classic		7 x 193 x 1380	2.66	
	3	Natural Oak AH37345	AC4	Brushed Style		8 x 193 x 1380	2.66	
	4	Chateau Oak AH3875	AC4	Brushed Style		8 x 193 x 1380	2.66	
	5	Antique Oak AH39195	AC4	Brushed Style		8 x 193 x 1380	2.66	
	6	Oiled Oak M037871	AC4	Authentic Matt		8 x 193 x 1380	2.66	
	7	White Oak S837580	AC4	Registered Embossed		10 x 116 x 1380	1.28	
	8	Walnut SN37658	AC4	Registered Embossed		10 x 116 x 1380	1.28	
Real Wood Engineered flooring	9	Oak	ABC	Lacquered		14 x 148 x 1830	2.167	wear layer (mm) 4
	10	White Oak	ABC	Natural / Oiled		14 x 148 x 1860	2.202	4
	11	Smoked Oak	ABC	Brushed / Smoked & White Oiled		14 x 148 x 1830	2.167	4
	12	Brushed Oak	ABC	Brushed & UV Oiled		14 x 148 x 1830	2.167	4
	13	Tobacco Oak	ABC	Tobacco Stained		14 x 148 x 1860	2.202	4
	14	American Walnut	ABC	Lacquered		14 x 127 <i>RL</i>	2.1336	4
	15	Cherry	ABC	Lacquered		14 x 127 <i>RL</i>	2.1336	4
	16	Walnut French Bleed	ABC	Lacquered French Bleed		14 x 127 <i>RL</i>	2.1336	4
	17	Maple	ABC	Lacquered		14 x 127 <i>RL</i>	2.1336	4
	18	Red Oak	ABC	Lacquered		14 x 127 <i>RL</i>	2.1336	4
	19	Oak	ABC	Lacquered		14 x 189	3.330	4
	20	Brushed Oak	ABC	Brushed & Oiled		14 x 189	3.330	4
	21	Oak	ABC	Lacquered		18 x 127 <i>RL</i>	2.1336	4
	22	Oak	ABC	Brushed & Oiled		18 x 127 <i>RL</i>	2.1336	4
	23	Smoked Oak	ABC	Smoked / Brushed & Black Oiled		18 x 130 <i>RL</i>	2.290	4
	24	Smoked White Oak	ABC	Smoked / Brushed & White Oiled		18 x 130 <i>RL</i>	2.290	4
	25	Oak	ABC	Lacquered		20 x 190 x 1860	1.767	4
	26	Brushed Oak	ABC	Brushed & UV Oiled		20 x 190 x 1860	1.767	4
	27	Natural Oak	ABC	Natural / Oiled		20 x 190 x 1860	1.767	4
	28	American Walnut	ABC	Lacquered		21 x 189 x 1830	1.383	6
	29	Cherry	ABC	Lacquered		21 x 189 x 1830	1.383	6
	30	Oak	AB	Unfinished		20 x 190 x 1860	1.767	4

IMPORTANT INFORMATION

Descriptions, Design and Specifications are accurate at the time of going to print. Cheetah reserve the right to remove or alter details at their own discretion. Please check they are valid at the time of order.

Due to the nature of wood, there can be variations in colours and styles. Colours in this brochure are as accurate as the printing process will allow.

All products are subject to availability.

Brochure design by : zero29design.com :

 - Välinge LOC system

RL - Random Length boards

	No.	SPECIES	GRADE	FINISH	DIMENSIONS (mm)	PACK SIZE (m ²)
Real Wood Solid flooring	31	Oak	ABC	Lacquered	18 x 90 RL	2.376
	32	Oak	ABC	Lacquered	18 x 120 RL	2.112
	33	Brushed Oak	ABC	Brushed & UV Oiled	18 x 130 RL	2.288
	34	Oak	ABC	Unfinished	20 x 130 RL	2.288
	35	Oak	ABC	Unfinished	20 x 150 RL	1.980
	36	Oak	ABC	Unfinished	20 x 180 RL	2.112
	37	Gunstock Oak	ABC	Lacquered	18 x 130 RL	2.288
	38	Golden Oak	ABC	Handscraped	18 x 120 RL	2.112
	39	American Walnut	ABC	Lacquered	18 x 125 RL	2.200
	40	Cherry	ABC	Lacquered	18 x 130 RL	1.980
	41	Maple	ABC	Lacquered	18 x 125 RL	2.200
	42	Birch	ABC	Lacquered	18 x 130 RL	1.980
Bespoke Designer Flooring	43	Italian Herringbone Oak	-	Natural Varnish & Wax	Made to Order	Order
	44	Hungarian Herringbone Oak	-	Dark Oak Varnished & Waxed	Made to Order	Order
	45	Versailles Pattern Oak	-	Coloured Oiling	Made to Order	Order
	46	Schönbrunn	AC4	Matt Finish	10.5 x 116 x 1380	1.92
	47	Montana	AC4	Matt Finish	10.5 x 116 x 1380	1.92
	48	Black Zebra	AC4	Matt Finish	10.5 x 116 x 1380	1.92
	49	Versailles	AC4	Matt Finish	10.5 x 116 x 1380	1.92
	50	Hampton	AC4	Matt Finish	10.5 x 116 x 1380	1.92
51	Parquet Oak	AC4	Oiled	14 x 420 x 420mm	1.4112	
Accessories	52	ClassicPAD	-	Underlayment	15m x 1m x 3mm	15
	53	MultiPAD	-	Underlayment	15m x 1m x 3mm	15
	54	SoundPAD	-	Underlayment	15m x 1m x 3mm	15
	55	Slc EP21	-	Moisture Barrier	Part A : can 5L - Part B: can 2.5L	300-400ml/m ²
	56	Slc L34	-	Adhesive	Part A : bucket 9kg - Part B: jar 1kg	1.5kg/m ²
	57	Slc Forte	-	Adhesive	Bucket 18kg	600-1000g/m ²
	58	Slc Silo Pur Flex	-	Wood Filler	Drum 10L / Jar 1L	50-80 ml/m ² per coat
	59	Slc B3	-	P.V.A. Adhesive	Bottle 750g	30g/m ²



cheetah



┌ DISTRIBUTOR STAMP



www.cheetahflooring.com

for your nearest stockist please contact: info@cheetahflooring.com

...the first step to choosing a beautiful floor